From: Sent:	Shawn Garvin/R3/USEPA/US 5/22/2012 9:27:59 PM
To: CC:	Dennis Carney/R3/USEPA/US@EPA William Early/R3/USEPA/US; Ron Borsellino/R3/USEPA/US@EPA; Kathy Hodgkiss/R3/USEPA/US@EPA; heston.gerald@epa.gov
Subject:	Re: Dimock - Home Visit
Dennis - Thank you very much!	
Shawn	
From: Denni Sent: 05/22/2 To: Shawn C Cc: William B	2012 08:15 PM EDT
excellent!!!	ut good meeting with Ex.5-Personal Privacy. Our folks just left ago. They report that apple pie is
arsenic ieveis a	side, did not ask for resampling. Ex. 6 - Personal Privacy described their Cabot's continuing efforts to get a functioning treatment system. It sounds like Cabot may have the tap under control using a filter. Still working on manganese and sodium. Cabot has also commited routine sampling to monitor the situation.
Blackberry Message sent by: Dennis Carney (W) 215-814-3241 (C) 215-514-9310	
From: Shaw Sent: 05/22/2 To: Dennis C Cc: William B	2012 06:50 PM EDT
Dennis - Could	you get me feedback as soon as possible on how it goes with the meeting tonight.
Thank you - Sh	awn
Forwarded b	y Shawn Garvin/R3/USEPA/US on 05/22/2012 06:48 PM
To: Bob Sus Cc: Lisa Fel Borsellino.Ron@ Date: 05/22/20	Garvin/R3/USEPA/US esman/DC/USEPA/US@EPA, Mathy Stanislaus/DC/USEPA/US@EPA dt/DC/USEPA/US@EPA, David Bloomgren/DC/USEPA/US@EPA, William Early/R3/USEPA/US, epamail.epa.gov, Dennis Carney/R3/USEPA/US@EPA D12 01:28 PM -[]Home Visit
Bob & Mathy - Want to send you a quick reminder that our folks are going to visit the home this evening. This is the home with the elevated levels of arsenic that had declined having water provided. They had requested that we come	

DIM0124924 DIM0124924

out and talk about their results. If they request to get resampled, our folks will be prepared to have them sign the

paperwork on the spot so that we can sample them this week. That would add one more home to the four we that we were already resampling because they are receiving water. Let me know if you have any questions.

Thank you - Shawn

DIM0124924 DIM0124925